




UCHF12PARGB-BP3



UCHF12PARGB-W-BP3

# HF120

ARGB VERSION





# HF120

ARGB VERSION


- *Luminous Addressable RGB lighting effects*
- *Addressable RGB lighting synchronization*
- *Advanced silent and cooling*

## Features


- **Luminous Addressable RGB lighting effects**
  - ENERMAX LED LIGHTING Technology provides consistent and uniform luminance
  - Hub-lighting addressable RGB fan with 12 LEDs display 16.8 million colors and dynamic lighting effects
- **Addressable RGB lighting synchronization**
  - ENERMAX RGB control box enables users to adjust preferred lighting effects
  - The 3 pin Addressable RGB connector support addressable RGB lighting synchronization via motherboard
- **Advanced silent and cooling**
  - Exclusive dual-convex blade design creates down force air pressure and high -volume air flow
  - Smart PWM speed control maintains balance between silence and performance
  - Anti-vibration rubber pads minimize noise during operation



ENERMAX LED LIGHTING Technology



Exclusive dual-convex blade design



Anti-vibration rubber pads



2 ways to control RGB lighting effects

## Specifications

Model		UCHF12PARGB-BP3	UCHF12PARGB-W-BP3
Fan Q'ty		3	
Dimension (mm)		120 x 120 x 25 mm	
Speed (rpm)		500 ~ 1600 RPM	
Air Flow (CFM)		22.5 ~ 72.1	
Air Pressure (mm-H2O)		0.2 ~ 1.98	
Noise (dBA)		14 ~ 27	
Rated Voltage (V)		12V	
Rated Current (A)		0.17A	
Rated Voltage (V) – RGB LED		5V (3pin ARGB, 5V/D/-/G)	
Rated Current (A) – RGB LED		0.36A	
MTTF (Hours)		50,000	
Connector		4pin PWM, 3pin ARGB (5V/D/-G)	
Accessory		1 x ENERMAX integrated RGB control box 1 x ARGB 3 to 1 cable (5V/D/-/G) 1 x PWM 3 to 1 cable 1 x Molex adapter 12 x Screw	
Logistic Information			
Bar code	EAN	4713157724564	4713157726100
	UPC	819315024560	819315026106
Box Dimension		133 x 160 x 100 mm	
Gross Weight / Unit		740 g	
Carton Dimension		520 x 340 x 290 mm	
Q'ty / carton		20 pcs	
Gross Weight / carton		14.8 kgs	