

English Version





Index

- 3 Overview
- 4 Key features
- 5-6 General specifications
- 7 Package contents
 Additional information

Meshify 2 Compact Lite

A streamlined classic

Meshify 2 Compact Lite is a high-performing case with a bold, stealth-inspired aesthetic. Its striking exterior features bolt-free, flush tempered glass and the iconic angular mesh of its larger siblings. Intelligent space utilization enables the Meshify 2 Compact Lite to boast the performance and capacity of larger cases despite its remarkably compact mid-tower size.





Key features

- · Iconic angular mesh front for a bold, stealth-inspired aesthetic
- Room for GPUs up to 345 mm with a 240 mm radiator in the top, or up to 360/280 mm front radiators with GPUs under 315 mm
- Install up to 7x 120 mm or 4x 140 mm fans (1x 120 mm and 2x 140 mm Aspect fans included)
- Install up to 7x 120 mm or 4x 140 mm fans (4x 120 mm Aspect RGB fans included) [RGB Version]
- · Versatile and space-efficient ATX form-factor design offers the performance and capacity of much larger cases
- Open interior layout creates a smooth airflow path from front intake to rear exhaust
- Seamlessly integrated TG panel with steel frame support and bolt-free top-latching mechanism
- USB Type-C ready front I/O (with accessory sold separately)
- Robust cooling capacity with seven fan positions and support for up to 360/280 mm radiators
- Flexible storage options supporting two 2.5"/3.5" drives and up to four SSDs (two SSD brackets included)
- · Easy-to-clean filters on the top and base with full PSU coverage and convenient front access
- Cable routing with three velcro straps
- Full length power supply shroud with two-part removable cover conceals drive cage and excess cabling for smooth airflow and a clean interior
- Seven bridgeless expansion slots ensure obstruction-free connections





General specifications

| • 2 (included) |
|--|
| • 4 (2 included) |
| •0 |
| •7 |
| • ATX / mATX / Mini-ITX |
| • ATX |
| • 2x USB 3.0, Audio I/O, Power button, |
| Reset button (RGB control button on RGB version), USB type-C ready |
| • 7x 120 or 4x 140 mm and 2x 120 mm |
| • 3x 120 or 2x 140 mm |
| • 2x Aspect 14 included (3x Aspect 12 RGB for RGB version) |
| • 2x 120/140 mm |
| • 1x 120 mm |
| • 1x Aspect 12 included (1x Aspect 12 RGB for RGB version) |
| • 1x 120 mm (requires removal of HDD cage) |
| • Top and bottom |
| • Up to 360/280 mm |
| • Up to 240 mm (RAM at or below 35 mm recommended) |
| • 120 mm |
| |
| |



General specifications

| PSU max length | • 180 mm (with HDD cage and front fan) |
|---|--|
| GPU max length | • 345 mm |
| CPU cooler max height | • 169 mm |
| Cable routing space | • 17-28 mm |
| Cable routing grommets | • Yes (2) |
| Fixed velcro straps | •Yes |
| Tool-less push-to-lock | • Top, front and side panels |
| Captive thumbscrews | • HDD, SSD and PSU brackets |
| Left side panel | • Tempered glass |
| Right side panel | • Steel |
| Case dimensions (LxWxH) | • 424 x 210 x 475 mm |
| Case dimensions w/o feet/protrusions/screws | • 412 x 210 x 455 mm |
| Net weight | •TG: 8.1 KG |
| Package dimensions (LxWxH) | • 542 x 320 x 554 mm |
| Gross weight | • TG: 9.3 KG |



Package contents

- Meshify 2 Compact Lite Case
- User manual
- Accessory box

Additional information

| Product | SKU | EAN | UPC | JAN | ASIN | |
|--|---------------|---------------|--------------|---------------|------------|--|
| Meshify 2 Compact Lite Black TG Light tint | FD-C-MEL2C-03 | 7340172703815 | 843276103811 | 4537694296816 | во93НЈС1VМ | |
| Meshify 2 Compact Lite White TG Clear | FD-C-MEL2C-04 | 7340172703822 | 843276103828 | 4537694296823 | B093HKX953 | |
| Meshify 2 Compact Lite RGB Black TG Light tint | FD-C-MEL2C-05 | 7340172703839 | 843276103835 | 4537694296830 | B093HKL613 | |

