

**English Version** 





# Index

- 3 Overview
- 4 Key features
- 5-6 General specifications
- 7 Package contents
  Additional information

## **Meshify 2 Compact RGB**

The Meshify 2 Compact RGB is a high-performing case with a bold, stealth-inspired aesthetic. Its striking exterior features bolt-free, flush tempered glass, a fully removable top panel granting excellent interior access, and a front USB 3.1 Type-C port. The front nylon filter can be removed for extra airflow, letting the mesh front deal with filtering. Intelligent space utilization enables the Meshify 2 Compact to boast the performance and capacity of larger cases despite its remarkably compact mid-tower size, and the filtered airflow design makes cooling a breeze.





#### **Key features**

- Re-designed front plate for unobstructed RGB fans
- RGB-controller with Northern Lights effect
- · Iconic angular mesh front provides filtered airflow with a bold, stealth-inspired aesthetic
- Room for GPUs up to 360 mm with a 240 mm radiator in the top, or up to 360/280 mm front radiators with GPUs under 305 mm
- Install up to 7x 120 mm or 4x 140 mm fans (4x 120 mm Aspect 12 RGB PWM fans included)
- Versatile and space-efficient ATX form-factor design offers the performance and capacity of much larger cases
- Open interior layout creates a smooth airflow path from front intake to rear exhaust
- Seamlessly integrated TG panel with steel frame support and bolt-free top-latching mechanism
- · Fully removable top panel and top fan bracket opens to provide excellent interior access and easy cable routing
- Three front USB ports including one USB 3.1 Gen 2 Type-C with fast charging and speeds up to 10Gbps
- Robust cooling capacity with seven fan positions and support for up to 360/280 mm radiators
- Flexible storage options supporting two 2.5"/3.5" drives and up to four SSDs (two SSD brackets included)
- New front nylon filter that can be removed for increased airflow
- · Easy-to-clean filters on the front, top and base with full PSU coverage and convenient front access
- · Improved cable routing with three integrated cable alignment clips and six velcro straps
- Full length power supply shroud with two-part removable cover conceals drive cage and excess cabling for smooth airflow and a clean interior
- Seven bridgeless expansion slots ensure obstruction-free connections





# General specifications

3.5"/2.5" drive mounts	• 2 (included)		
Dedicated 2.5" drive mounts	• 4 (2 included)		
5.25" drive mounts	•0		
Expansion slots	•7		
Motherboard compatibility	• ATX / mATX / Mini-ITX		
Power supply type	• ATX		
Front interface	• 1x USB 3.1 Gen 2 Type-C, 2x USB 3.0,		
	Audio I/O, Power button, RGB control button		
Total fan mounts	• 7x 120 or 4x 140 mm and 2x 120 mm		
Front fan	• 3x 120 or 2x 140 mm, (3x Aspect 12 RGB PWM included)		
Top fan	• 2x 120/140 mm		
Rear fan	• 1x 120 mm, (1x Aspect 12 RGB PWM included)		
Bottom fan	• 1x 120 mm (requires removal of HDD cage)		
Dust filters	• Top, front and bottom		
Front radiator	• Up to 360/280 mm		
Top radiator	• Up to 240 mm		
Rear radiator	• 120 mm		
Bottom radiator	• 120 mm (requires removal of HDD cage)		



# **General specifications**

PSU max length	• 165 mm (with HDD cage and front fan)			
GPU max length	• 345 mm			
CPU cooler max height	• 169 mm			
Cable routing space	∙ 17-28 mm			
Cable routing grommets	• Yes			
Fixed velcro straps	• Yes			
Tool-less push-to-lock	• Top, front and side panels			
Captive thumbscrews	• HDD, SSD and PSU brackets			
Left side panel	• Tempered glass			
Right side panel	• Steel			
Case dimensions (LxWxH)	• 424 x 210 x 475 mm			
Case dimensions w/o feet/protrusions/screws	• 412 x 210 x 455 mm			
Net weight	• 8.5 KG			
Package dimensions (LxWxH)	• 542 x 320 x 554 mm			
Gross weight	• 9.8 KG			



## Package contents

- Meshify 2 Compact RGB Case
- User manual
- Accessory box

#### **Additional information**

Product	SKU	EAN	UPC	JAN
Meshify 2 Compact RGB Black TG Light Tint	FD-C-MES2C-06	7340172703693	843276103699	4537694292283
Meshify 2 Compact RGB White TG Clear Tint	FD-C-MES2C-08	7340172703716	843276103712	4537694292306

