Omega Embosser

Home Embossing Label Maker

DYMO







Compact, Portable and Easy-To-Use Label Maker

- Embosses 49 different characters including special symbols
- Ergonomic handle with soft-touch grip for comfort
- Balanced to stand on any worktop or workbench
- Cuts labels with easy-peel tabs
- Uses 9 mm wide 3D labels
- Easy turn-and-click character selection
- No batteries needed
- Made of tough ABS plastic

Base Unit Includes:

- Embossing Label maker
- Embossing Black glossy tape, 9 mm x 3m
- Instruction Manual

Quick Specs Unit Dimensions (H x W x L) 271.12 x 170.18 x 144.78mm Weight 155g Label width (mm) 9mm Printing process Embossing Country of Origin China

| ltem No. | Description | | Length (cm) | Width (cm) | Height (cm) | Weight (kg) | QTY | EAN | Customer Price |
|----------|------------------|--------|----------------|---------------|----------------|----------------|-----|----------------|-------------------|
| S0717930 | DYMO Omega DE/GB | Unit | 8.8 | 16.0 | 20.2 | 0.2 | 1 | 5411313127486 | |
| | | Shelf | - | - | - | - | 2 | - | |
| | | Case | 40.5 | 19.5 | 42.0 | 4.6 | 12 | 25411313127480 | |
| | | Pallet | 120.0 | 80.0 | 99.0 | 117.0 | 240 | - | |



Plastic

3D plastic embossing labels stick to any smooth, clean surface and are resistant to water, corrosion, abrasion and most chemicals. Whether you use them indoors or outdoors, you can count on them to last - and stay in place.

Length: 3 m

Rhino Embossing Aluminum and Stainless Steel

For heavy-duty, extreme-condition labeling. Excellent resistance to chemicals, extreme weather conditions, high and low temperatures and abrasion. Ideal for marking pipelines, underground cables, engine parts, building materials and more.

| EMBOSSING LABELS | | | | | | | | | | | | | |
|--|--------|-------|----------|----------|----------|-------|-------|--|--|--|--|--|--|
| Width | Length | А | А | А | А | А | А | | | | | | |
| PLASTIC | | | | | | | | | | | | | |
| 9mm | 3m | - | 520102 | S0847730 | S0847740 | - | - | | | | | | |
| | - | - | S0847750 | - | S0847750 | - | - | | | | | | |
| RHINO EMBOSSING - ALUMINUM AND STAINLESS STEEL | | | | | | | | | | | | | |
| 12mm | 4.80m | 31000 | - | - | - | - | - | | | | | | |
| | 6.40m | - | - | - | - | 32500 | - | | | | | | |
| | 3.65m | - | - | - | - | - | 35800 | | | | | | |

Country of Origin: Belgium

DISTRIBUTED BY: Newell Europe Sàrl Chemin de Blandonnet 10 1214 Vernier – Switzerland WWW.DYMO.COM

13-0103



This information is being provided for general information purposes and the compliance standards and certifications referenced herein are based on current standards which are subject to change.

