

## AC/DC adapter

Model: AK-ND-68





Product type Compatible with DELL Series Dedicated 100-250 V Power consumption < 1.5 A Efficiency > 80 % Output voltage 19.5 V Output amperage Output connector Maximum power Fower inlet Soft start Ves OVP Yes OPP Yes OTP Yes SCP Yes
Series Dedicated  Supply voltage 100-250 V  Power consumption < 1.5 A  Efficiency > 80 %  Output voltage 19.5 V  Output amperage 2.31 A  Output connector 4.5 x 3.0 mm + pin  Maximum power 45 W  Power inlet IEC C6  Mechanical switch None  Soft start Yes  OVP Yes  OCP Yes  OPP Yes  OTP Yes
Supply voltage 100-250 V  Power consumption < 1.5 A  Efficiency > 80 %  Output voltage 19.5 V  Output amperage 2.31 A  Output connector 4.5 x 3.0 mm + pin  Maximum power 45 W  Power inlet IEC C6  Mechanical switch None  Soft start Yes  OVP Yes  OPP Yes  OPP Yes
Power consumption < 1.5 A  Efficiency > 80 %  Output voltage 19.5 V  Output amperage 2.31 A  Output connector 4.5 x 3.0 mm + pin  Maximum power 45 W  Power inlet IEC C6  Mechanical switch None  Soft start Yes  OVP Yes  OCP Yes  OPP Yes  OTP Yes
Efficiency > 80 %  Output voltage 19.5 V  Output amperage 2.31 A  Output connector 4.5 x 3.0 mm + pin  Maximum power 45 W  Power inlet IEC C6  Mechanical switch None  Soft start Yes  OVP Yes  OCP Yes  OPP Yes  OTP Yes
Output voltage 19.5 V  Output amperage 2.31 A  Output connector 4.5 x 3.0 mm + pin  Maximum power 45 W  Power inlet IEC C6  Mechanical switch None  Soft start Yes  OVP Yes  OCP Yes  OPP Yes  OTP Yes
Output amperage Output connector Output connector A.5 x 3.0 mm + pin  Maximum power 45 W  Power inlet IEC C6  Mechanical switch None  Soft start Yes  OVP Yes  OCP Yes  OPP Yes  OTP Yes
Output connector  Maximum power  Power inlet  IEC C6  Mechanical switch  None  Soft start  Yes  OVP  Yes  OPP  Yes  OTP  Yes
Maximum power 45 W  Power inlet IEC C6  Mechanical switch None  Soft start Yes  OVP Yes  OCP Yes  OPP Yes  OTP Yes
Power inlet IEC C6  Mechanical switch None  Soft start Yes  OVP Yes  OCP Yes  OPP Yes  OTP Yes
Mechanical switch Soft start Yes OVP Yes OCP Yes OPP Yes OTP Yes
Soft start Yes  OVP Yes  OCP Yes  OPP Yes  OTP Yes
OVP Yes OCP Yes OPP Yes OTP Yes
OCP Yes OPP Yes OTP Yes
OPP Yes OTP Yes
OTP Yes
SCP Yes
UVP Yes
Ferrite filter Yes
USB connector None
Power cable included No
Material ABS
Product color Black
Display None
MTBF 100000 h
Temperature 5 - 50 °C
Package EcoBox
Product size (L x W x H) 114 x 49 x 30 mm
Package size (L x W x H) 190 x 90 x 38 mm
Net weight 192 g
Gross weight 241 g
CE compatibility Yes
FCC compatibility Yes
RoHS compatibility Yes
EAN code 5901720135803
Warranty 24 months

































## Description

A dedicated Akyga® AK-ND-68 power supply with 4.5 x 3.0 mm + pin input connector has been created to charge DELL laptops. The series of protections it has been fitted with allows for reliable and safe use. In addition, thanks to the ferrite filter it guarantees protection of the powered notebook against electromagnetic interference. Solidly built AK-ND-68 power supply with 19.5 V voltage and 2.31 A current, works well at work and at home.

Each time we encourage you to use our laptop search engine.