



LMO 36-46 Battery Set

Comes in a set with battery and fast charger: the powerful battery lawn mower LMO 36-46 Battery Set. With additional drive of rear wheel at the touch of a button.















1 Push Assist rear-wheel drive

- Additional drive of left rear wheel at the touch of a button.
- Effortless mowing, even on slight inclines.

2 Mows up to the edge of the lawn

■ The lawn combs automatically catch the grass growing right up to the edge.

3 2-in-1 mowing system

- The cut grass is efficiently collected in the grass catcher container during mowing.
- Mulching function: By using the mulching kit, the cut grass is spread over the lawn as natural fertiliser.

4 Simple cutting height adjustment

The cutting height can be adjusted centrally to five different positions.





LMO 36-46 Battery Set

- Push Assist: Additional drive power at the push of a button
- The lawn combs automatically pick up the grass growing right up to
- 2-in-1 mowing system: The grass can be used for mulching or is collected in the grass catcher container

| Technical data | | |
|--|--------|---------------------------------------|
| Order no. | | 1.444-470.0 |
| EAN code | | 4054278547299 |
| Cutting width | cm | 46 |
| Cutting height | mm | 20 - 70 |
| Cutting height adjustment | | 5x |
| Grass catcher container volume | I | 55 |
| Motor type | | Brushless motor |
| Rotational speed | rpm | 2800 |
| max. Speed | km/h | 3 |
| Battery platform | | 36 V battery platform |
| Voltage | V | 36 |
| Capacity | Ah | 5 |
| Battery type | | Lithium-ion replacement battery |
| Performance per battery charge * | m² | max. 325 (2,5 Ah) / max. 650 (5,0 Ah) |
| Runtime per battery charging | min | max. 15 (2,5 Ah) / max. 30 (5,0 Ah) |
| Battery charging time with fast charger 80%/100% | min | 98 / 138 |
| Charging current | Α | 2.5 |
| Power supply for battery charger | V / Hz | 100 - 240 / 50 - 60 |
| Weight | kg | 18.4 |
| Dimensions (L × W × H) | mm | 1452 × 483 × 978 |

| Equipment | | |
|-----------------------------------|---------------------------|-----------------------------|
| Battery | 36 V / 5.0 Ah Bat | ttery Power battery (1 pc.) |
| Battery charger | 36 V Battery Pow | wer fast charger (1 pc.) |
| Mulch kit | | |
| Blade | | |
| Grass catcher container | | |
| Rear-wheel drive | • | |
| Integrated carrying handle | | |
| ■ Included in the scope of supply | * Cutting height: Level 5 | |

LMO 36-46 BATTERY SET 1.444-470.0















| | | Order no. | | Р | Price | Description |
|-------------------------------------|--------|-------------|--|---|-------|--|
| Batteries | | | | | | |
| Battery Power 36/50 | 1 | 2.445-031.0 | | | | 36 V / 5.0 Ah Battery Power exchangeable battery with innovative Real Time Technology incl. LCD display to show the battery level. Suitable for all devices on the 36 V Kärcher battery platform. |
| Battery Power 36/25 | 2 | 2.445-030.0 | | | | 36 V / 2.5 Ah Kärcher Battery Power exchangeable battery with innovative Real Time Technology incl. LCD display to indicate battery level. Suitable for use in all devices on the 36 V Kärcher battery platform. |
| Battery chargers | | | | | | |
| Fast Charger Battery Power 36 V | 3 | 2.445-033.0 | | | | With the fast charger, the 36 V/2.5 Ah exchangeable battery can be charged to 80% in just 48 minutes. Also suitable for all other batteries on the 36 V Kärcher battery platform. |
| Lawn mower | | | | | | |
| Blade LMO 36-46 Battery | 4 | 2.444-013.0 | | | | With a cutting width of 46 cm the lawn mower blade of the LMO 36-46 Battery leaves behind perfectly cut blades of grass, without any fraying or unevenness. |
| Starterkit Batteries and Battery ch | argers | | | | | |
| Starter kit Battery Power 36/25 | 5 | 2.445-064.0 | | | | The Battery Power 36/25 Starter Kit includes a 36 V/2.5 Ah Battery Power exchangeable battery and a 36 V fast charger. For all devices on the 36 V Kärcher battery platform. |
| Starter kit Battery Power 36/50 | 6 | 2.445-065.0 | | | | Battery Power 36/50 Starter Kit incl. 36 V/5.0 Ah Battery Power exchangeable battery and 36 V fast charger. Suitable for use in all devices on the 36 V Kärcher battery platform. |

[■] Included in the scope of supply.

□ Available accessories.