





Case Versions

•

.......

.....

Aharkoon



Available in White and Black

- **Acrylic Side Panel**
- 2x USB 3.0

.....

.....

• • = = • •

- Front Panel: 2x 120 mm Fans
- (Pre-Installed) or Radiator (Optional)
- Rear Panel: 1x 120 mm LED Fan (Pre-Installed)
- Top Panel: 3x 120 mm or 2x 140 mm Fans (Optional)



- Metal Side Panel
- 2x USB 3.0
- Front Panel: 2x 120 mm Fans (1x Pre-Installed, 1x Optional) or Radiator (Optional)
 Rear Panel: 1x 120 mm Fan (Pre-Installed)
 Top Panel: 3x 120 mm or 2x 140 mm Fans
- (Optional)

Integrated 7.1 Surround Sound



The M25-W case version offers an integrated 7.1 sound card as a special feature, which easily connects to the mainboard via USB.


7.1 Audio Software





The audio software is free to download on our website at www.sharkoon.com and allows both individual EQ and Effect Settings such as Microphone Boost. All settings can be stored in four different profiles.

Versatile Installation Options



Removable Drive Mounting Brackets




Mounting Bracket for up to Two 2.5" HDD/SSDs



Optional Installation Possibilities on the Tunnel




Systematic Arrangement



Additional Mounting Options on the Bottom Panel



Air Vents for Optimal Cooling of Drives




The power supply and up to two 3.5" hard drives can be decoupled on the case bottom inside the tunnel, thus not detracting from the appearance.

Sophisticated Solutions



Cableless Front Panel Design



Decoupled Power Supply Mounting




Removable Dust Filter on the Bottom Panel



Dust Filter with Magnetic Fastener on the Top Panel


Flexible Fan Installation Options

Front Panel





Airflow Optimized Case Design



Cool Air Intake

Specifications

	mes-V	mes-w
General:		0
Form Factor:	ATX	ATX
Expansion Slots:		7
Interior Painting:		\checkmark
Tool-Free Devices Installation:	\checkmark	\checkmark
Cable Management System:	\checkmark	\checkmark
Side Panel:	Metal	Acrylic
Color Versions:	Black	Black, White
Weight: Dimensions (L x W x H):	6.5 kg 45.0 x 21.0 x 46.5 cm	6.5 kg 45.0 x 21.0 x 46.5 cm
//0:		
USB 3.0 (Front):	2*	2*
Audio (Front):	-	\checkmark
Drive Bays:		
5.25 ":		
5.25" or 3.5":		
 5.25" to 3.5" Bay Cover: 3.5": 		
■ 3.5 . ■ 3.5" or 2.5":	2	• 2
2 .5":	2	2
2.0.	2	2
Fan Configuration:	0, 100 mm 5 mm	
Front Panel:	2x 120 mm Fans (1x Pre-Installed, 1x Optional)	2x 120 mm Fans (Pre-Installed) or Radiator (Optional)
	or Radiator (Optional)	
Rear Panel:	1x 120 mm Fan (Pre-Installed)	1x 120 mm LED Fan (Pre-Installed)
Tan Danak	3x 120 mm or 2x 140 mm Fans	\sim 3x 120 mm or 2x 140 mm Fans
	(Optional)**	(Optional)**
Compatibility:		
Mainboard:	Mini-ITX, Micro-ATX, ATX	Mini-ITX, Micro-ATX, ATX
Max. Length Graphics Cards:	40.0 cm	40.0 cm
Max. Height CPU Cooler:	16.7 cm	16.7 cm
Max. Length Power Supply:	20.5 cm	20.5 cm
Max. Height Radiator incl. Fan (Front):	5.0 cm	5.0 cm
Note:	* internal 19-pin mainboard	* internal 19-pin mainboard
	connector incl. USB 2.0 plug	connector incl. USB 2.0 plug
	** when 5.25" drive mounting	** when 5.25" drive mounting
	bracket is removed	bracket is removed
M25-V M25-W Bla	ack M25-W White	
		Shipment Box
		PU: 1
		Dimensions: 512 x 255 x 516 mm (L x W x H) Weight: 7 kg

0

0