



Get fast printing speeds, high-volume scanning, and easy management tools with LaserJet Pro.

This printer is built for powerful productivity with fast speeds and reliable hardware, delivering effortless everyday use from wherever work happens so you can focus more on your business.



This printer uses dynamic security, which may be updated periodically by firmware updates. The printer is intended to be used solely with cartridges using an original HP chip. Cartridges using a non-HP chip may not function or may cease to function. More at: www.hp.com/learn/ds

Highlights

- Instant Ink for Laser available
- Fast print speed (33 ppm A4)
- High monthly duty cycle (50,000 pages)
- · Automatic two-sided printing standard
- HP Smart app
- HP Wolf Pro security
- · 250 sheet standard paper input cassette













Powerful productivity.¹

- Support your small workteams with this smart printer, designed for up to 7 users.
- Print more efficiently. Save time, paper, and costs with fast printing, scanning and auto twosided printing.
- Do more in fewer steps. Simple shortcuts allow your employees to complete common tasks with just a touch.
- Get productivity in the palm of your hand. Print, scan, and save time with Shortcuts from HP Smart ²

Seamless management.

- Centralise print management for your enterprise. HP Web Jetadmin makes it easy with its suite
 of features.³
- Set up your printer quickly wherever work happens. Cloud connectivity makes it easy for your IT team.
- Access your printers from a single dashboard. Smart Admin guides you through setup and gives IT visibility.⁴

HP Wolf Pro Security.

- Get printer security out of the box. Preconfigured settings mean it's ready when you are.
- Set up and manage your printers from a single dashboard. Smart Admin makes the experience seamless ⁴
- Add a layer of security. PIN/pull option authenticates your print jobs only when you're present.
- Set configuration policies and validate settings universally with HP JetAdvantage Security Manager.

Hassle-free supplies management with Instant Ink.

- Enroll to save on Original HP Toner with Instant Ink. Get toner, delivery and recycling. 6,7,8
- Never run out of toner with Instant Ink for laser.⁹
- With Instant Ink, get toner automatically delivered to workers or offices all on one consolidated bill.⁸
- With Instant Ink, you get to select the right plans for each of your printers. Change or cancel at any time.¹⁰

Product walkaround

HP LaserJet Pro MFP 3102fdn Printer shown

- 1. Fast printing, up to 33 ppm, 250-sheet standard paper capacity
- 2. Built for the small workteams of up to 7 users
- 3. Pre-configured security settings
- 4. Automatic 2-sided printing
- 5. High-speed USB ports, built-in fast Ethernet
- 6. Cassette type input tray



Accessories, Supplies and Support

| Supplies | W1390A HP 139A Black Original LaserJet Toner Cartridge (Average cartridge yields 1,500 standard pages. Declared yield value in accordance with ISO/IEC 19752.) |
|---------------------|---|
| | W1390X HP 139X High Yield Black Original LaserJet Toner Cartridge (Average cartridge yields 4,000 standard pages. Declared yield value in accordance with ISO/IEC 19752.) |
| Accessories | |
| Service and Support | UG207E 3 years Advanced Exchange (All EMEA countries Except Adriatic, Africa, CIS, EEM, Israel, Middle East, Russia, South Africa, Turkey) UG087E 3 years Next Business Day Exchange (available in Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Ireland, Italy, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Spain, Sweden, Switzerland, UK) UG290E 3 years Return to Depot (available in Adriatic, Africa, CIS, EEM, Israel, Middle East, Russia, South Africa, Turkey) |

Technical specifications

| · | |
|---|---|
| Model | HP LaserJet Pro MFP 3102fdn Printer |
| Product number | 36629F |
| Functions | Print, copy, scan, fax |
| Control panel | 2.7° CGD; Touch Screen; 3 LED buttons (Back, Home, Info) |
| Print | |
| Print technology | Laser |
| Print speed ¹ | Black (A4, normal): Up to 33 ppm; Black (A4, duplex): Up to 20 ipm |
| First page out ² | Black (A4, ready): As fast as 7.0 sec; Black (A4, sleep): As fast as 8.7 sec |
| Print resolution | Black (best): Up to 1200 x 1200 dpi; Technology: 600dpi with Resolution Enhancement technology (REt); ProRes 1200 |
| Monthly duty cycle | Up to 50,000 pages A4; Recommended monthly page volume: 350 to 2500 pages |
| Printer smart software features | Automatic duplex, Easy 00BE, Scan Destinations, Smart security, Print always work, Print anywhere |
| Standard print languages | PCLSc; PCL6; PS; PCLmS; PDF; URF; PWG; PCLm |
| Fonts and typefaces | 84 scalable TrueType fonts |
| Print area | Print margins Top: 4.23 mm, Bottom: 4.23 mm, Right: 4.23 mm, Right: 4.23 mm; Maximum print area : 207 x 348 mm |
| Duplex printing | Automatic (standard) |
| Сору | |
| Copy speed | Black (A4): Up to 33 cpm |
| Copier specifications | Number of Copies; Lighter/Darker; Enhancements; Binding Margin; Paper; Multi-Page Copy; Collation; Quality; Maximum number of copies: Up to 999 copies; Reduce/Enlarge: 25 to 400% |
| Scan | |
| Scan speed ³ | Normal (A4): Up to 19 ppm (b&w), up to 8 ppm (color) |
| Scan file format | JPG, TIFF, XPS, PDF, PDF/A |
| Scanner specifications | Scanner type ADF, flatbed; Scan technology: CIS; Scan input modes: HP Smart App; and user applications via Twain; Twain version: Version 2.1; Duplex ADF scanning: No; Optical scan resolution: Up to 300 dpi (color and mono, ADF); Up to 1200 dpi (color and mono, flatbed) |
| Recommended monthly scan volume | 150 to 1500 |
| Scannable area | Maximum media size (flatbed): 216 x 297 mm; Minimum media size (ADF): 148 x 210 mm Maximum media size (ADF): 216 x 356 mm |
| Bit depth/ Grey scale levels | 24-bit / 256 |
| Fax | |
| Fax ⁴ | Yes |
| Fax specifications | Fax memory: Up to 500 pages; Fax resolution: Standard: 203 x 98 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 300 x 300 dpi; Quick dialing: Up to 200 numbers |
| Processor speed | 800 MHz |
| Connectivity | |
| Standard | Hi-Speed USB device (compatible with USB 2.0 specifications); 10/100Mbps Ethernet. |
| Mobile printing capability | HP Smart App; Apple AirPrint™; Mopria™ Certified |
| Supported network protocols | TCP/IP: IPv4; IPv6; IP Direct Mode; LPD; SLP; Bonjour; WS-Discovery; B00TP/ DHCP/ AutoIP; WINS; SNMP v 1/2/3; and HTTP/HTTPS |
| Network capabilities | 10/100Mbps Ethernet. |
| Hard disk | no hard disk |
| | |
| Memory | Standard: 512 MB ;Maximum: 512 MB |
| Memory Media handling | Standard: 512 MB ;Maximum: 512 MB |
| | Standard: 512 MB ;Maximum: 512 MB Standard: 1 ;Maximum: 1 Main Tray |
| Media handling | |
| Media handling Number of paper trays | Standard: 1 : Maximum: 1 Main Tray |
| Media handling Number of paper trays Media types | Standard: 1 :Maximum: 1 Main Tray Paper (Cut sheets, plain, glossy film, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm ; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(JIS); B6(JIS); Oficio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L 9x13 cm; 10x15cm; |
| Media handling Number of paper trays Media types Media size | Standard: 1; Maximum: 1 Main Tray Paper (Cut sheets, plain, glossy film, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(JIS); B6(JIS); Oficio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L 9x13 cm; 10x15cm; Japanese Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope CL 40F: A4; LTR; LGL |
| Media handling Number of paper trays Media types Media size Media handling | Standard: 1; Maximum: 1 Main Tray Paper (Cut sheets, plain, glossy film, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(JIS); B6(JIS); Oficio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L 9x13 cm; 10x15cm; Japanese Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope DL ADF: A4; LTR; LGL Standard input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray |
| Media handling Number of paper trays Media types Media size Media handling Media weight | Standard: 1; Maximum: 1 Main Tray Paper (Cut sheets, plain, glossy film, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(JIS); B6(JIS); Oficio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L 9x13 cm; 10x15cm; Japanese Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope DL ADF: A4; LTR; LGL Standard input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray 60 to 163 g/m² |
| Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity | Standard: 1; Maximum: 1 Main Tray Paper (Cut sheets, plain, glossy film, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(J/S); B6(J/S); Oficio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L 9x13 cm; 10x15cm; Japanese Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope DL ADF: A4; LTR; LGL Standard Input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray 60 to 163 g/m² Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF: Standard, 50 sheets |
| Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity | Standard: 1 :Maximum: 1 Main Tray Paper (Cut sheets, plain, glossy film, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(JIS); B6(JIS); Oficio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L 9x13 cm; 10x15cm; Japanese Postcard; Double Japan Postcard Notated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope G5; Envelope C6; Envelope DL ADF: A4; LTR; LGL Standard input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray 60 to 163 g/m² Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF: Standard; 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB |
| Media handling Number of paper trays Media types Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating | Standard: 1; Maximum: 1 Main Tray Paper (Cut sheets, plain, glossy film, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R. A6, B5(JIS); B6(JIS); Oficio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L 9x13 cm; 10x15cm; Japanese Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope C6; Envelope DL ADF: A4; LTR; LGL Standard input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray 60 to 163 g/m² Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets Microsoft® Windows 9 11, 10, 7 5P1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet required; Linux (For more information, see https://developers.hp.com/hp-linux-imaging-and-printing) Windows Server 2008 R2 64-bit, Windows Server 2016 64-bit, Linux-For more information see |
| Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems | Standard: 1 :Maximum: 1 Main Tray Paper (Cut sheets, plain, glossy film, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(JIS); B6(JIS); Oficio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L 9x13 cm; 10x15cm; Japanese Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope C5; Envelope C6; Envelope DL ADF: A4; LTR; LGL Standard Input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray 60 to 163 g/m² Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF: Standard; 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet required; Linux (For more information, see https://developers.hp.com/hp-linux-imaging-and-printing) Windows Server 2018 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2016 64-bit, Linux-For more information see http://developers.hp.com/hp-linux-imaging-and-printing) Windows Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Windows Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. |
| Media handling Number of paper trays Media types Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements | Standard: 1; Maximum: 1 Main Tray Paper (Cut sheets, plain, glossy film, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(JIS); B6(JIS); Oficio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L 9x13 cm; 10x15cm; Japanese Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope C5; Envelope C6; Envelope DL ADF: A4; LTR; LGL Standard Input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray 60 to 163 g/m² Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet required, Linux (For more information, see https://developers.hp.com/hp-linux-imaging-and-printing) Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2016 64-bit, Linux-For more information see https://developers.hp.com/hp-linux-imaging-and-printing. Windows Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Mac Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet required |
| Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included | Standard: 1; Maximum: 1 Main Tray Paper (Cut sheets, plain, glossy film, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(JIS); B6(JIS); Oficio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L 9x13 cm; 10x15cm; Japanese Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope C5; Envelope C6; Envelope DL ADF: A4; LTR; LGL Standard input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray 60 to 163 g/m² Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet required; Linux (For more information, see https://developers.hp.com/hp-linux-imaging-and-printing) Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit, Usindows Server 2008 R2 64-bit, Usindows Server 2018 R2 G4-bit, Usindows Serv |
| Media handling Number of paper trays Media types Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management | Standard: 1; Maximum: 1 Main Tray Paper (Cut sheets, plain, glossy film, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(JIS); B6(JIS); Oficio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L 9x13 cm; 10x15cm; Japanese Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope CS; Envelope CS; Envelope CS; Envelope DL ADF: A4; LTR; LGL Standard input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray 60 to 163 g/m² Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 26 Bavailable hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® mac0S v10.15 Catalina, mac0S v11 Big Sur, mac0S v12 Monterey; 2 GB HD; Internet required; Linux (For more information, see https://developers.hp.com/hp-linux-imaging-and-printing) Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Linux-For more information see http://developers.hp.com/hp-linux-imaging-and-printing, Windows Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Mac Apple® mac0S v10.15 Catalina, mac0S v11 Big Sur, mac0S v12 Monterey; 2 GB HD; Internet required No CD in box; Downloadable Software from http://www.hp.com, http://www.hpsmart.com/setup, in-OS app stores. Password-protected network embedded Web server; enable/disable Network ports; SNMPv1 community password change |
| Media handling Number of paper trays Media types Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management | Standard: 1; Maximum: 1 Main Tray Paper (Cut sheets, plain, glossy film, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(JIS); B6(JIS); Oficio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L 9x13 cm; 10x15cm; Japanese Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope CS; Envelope CS; Envelope CS; Envelope DL ADF: A4; LTR; LGL Standard input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray 60 to 163 g/m² Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 26 Bavailable hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® mac0S v10.15 Catalina, mac0S v11 Big Sur, mac0S v12 Monterey; 2 GB HD; Internet required; Linux (For more information, see https://developers.hp.com/hp-linux-imaging-and-printing) Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Linux-For more information see http://developers.hp.com/hp-linux-imaging-and-printing, Windows Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Mac Apple® mac0S v10.15 Catalina, mac0S v11 Big Sur, mac0S v12 Monterey; 2 GB HD; Internet required No CD in box; Downloadable Software from http://www.hp.com, http://www.hpsmart.com/setup, in-OS app stores. Password-protected network embedded Web server; enable/disable Network ports; SNMPv1 community password change |
| Media handling Number of paper trays Media types Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight | Standard: 1; Maximum: 1 Main Tray Paper (Cut sheets, plain, glossy film, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(JIS); B6(JIS); Oficio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L 9x13 cm; 10x15cm; Japanese Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope B5; Envelope C6; Envelope C6; Envelope C6; Envelope C6; Envelope DL ADF: A4; LTR; LGL Standard input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray 60 to 163 g/m² Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF: Standard; Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets Microsoft® Windows 9 11, 10, 7 591: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® mac0S v10.15 Catalina, mac0S v11 Big Sur, mac0S v12 Monterey; 2 GB Hbtp://developers.hp.com/hp-linux-imaging-and-printing) Windows Server 2008 R2 64-bit, Windows Server 2008 R2 for Stallina, mac0S v11 Big Sur, mac0S v12 Monterey; 2 GB Hbtp://developers.hp.com/hp-linux-imaging-and-printing. Windows Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Mac Apple® mac0S v10.15 Catalina, mac0S v11 Big Sur, mac0S v12 Monterey; 2 GB Hb; Internet required: No CD in box; Downloadable Software from http://www.hpsmart.com/setup, in-O5 app stores. Password-protected network embedded Web server; enable/disable Network ports; SNMPv1 community password change HP Smart, HPSM, Web JetAdmin, admin.hpsmart.com |
| Media handling Number of paper trays Media types Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) | Standard: 1; Maximum: 1 Main Tray Paper (Cut sheets, plain, glossy film, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R. A6, B5(JIS); B6(JIS); Oficio (216x340); 16K (195 x 270 mm); 16K (197 x 273 mm); L 9x13 cm; 10x15cm; Japanese Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope B5; Envelope C6; Envelope DL ADF: A4; LTR; LG. Standard Input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray 60 to 163 g/m² Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets Microsoft® Windows® 11, 10, 7 591: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® mac0S v10.15 Catalina, mac0S v11 Big Sur, mac0S v12 Monterey; 2 GB HD; Internet required; Linux (For more information, see https://developers.hp.com/hp-linux-imaging-and-printing) Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit, Linux-For more information see http://developers.hp.com/hp-linux-imaging-and-printing. Windows: Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Windows: Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Mac Apple® mac0S v10.15 Catalina, mac0S v11 Big Sur, mac0S v12 Monterey; 2 GB HD; Internet required Developers: Mac Apple® mac0S v10.15 Catalina, mac0S v11 Big Sur, mac0S v12 Monterey; 2 GB HD; Internet required Microsoft® Windows: Microsoft® Windows Microsoft® Uniternet Explorer or Edge. Mac Apple® mac0S v10.15 Catalina, mac0S v11 Big Sur, mac0S v12 Monterey; 2 GB HD; Internet required Microsoft® Windows: Microsoft® Windows Microsoft® Uniternet Explorer or Edge. Microsoft® Windows: Microsoft |
| Media handling Number of paper trays Media types Media types Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer dimensions (W×D×H) Printer weight | Standard: 1: Maximum: 1 Main Tray Paper (Cut sheets, plain, glossy film, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(JIS); B6(JIS); Oficio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L 9x13 cm; 10x15cm; Japanese Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope (Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope DL ADF: A4; LTR; LGL Standard Input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray 60 to 163 g/m² Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets Microsoft® Windows® 11, 10, 7 591: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet required; Linux (For more information, see https://developers.hp.com/hp-linux-imaging-and-printing) Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 64-bit, Linux-For more information see https://developers.hp.com/hp-linux-imaging-and-printing. Windows Microsoft® Windows® 11, 10, 7 591: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Mac: Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet required No CD in box, Downloadable Software from http://www.hp.com., http://www.hpsmart.com/setup., in-OS app stores. Password-protected network embedded Web server; enable/disable Network ports; SNMPv1 community password change Minimum 418.0 x 398.2 x 313.2 mm; Maximum: 426.8 x 758.8 x 475.5 mm 10.5kg |
| Media handling Number of paper trays Media types Media types Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment | Standard: 1: Maximum: 1 Main Tray Paper (Cut sheets, plain, glossy film, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(JIS); B6(JIS); Oficio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L 9x13 cm; 10x15cm; Japanese Datard Robarded; Japanese Envelope Chou #3; Japanese Envelope C5; Envelope C6; Envelope C6; Envelope DL ADF: A4; LTR; LGL Standard Input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray 60 to 163 g/m² Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF: Standard; 50 sheets Standard: Up to 150 sheets Envelopees: up to 10 Maximum: Up to 250 sheets Microsoft ⁴⁰ Windows ⁵⁰ 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft ⁴⁰ Internet Explorer or Edge. Apple ⁴⁰ macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; thirdnet required; Linux (For more information, see https://developers.hp.com/hp-linux-imaging-and-printing) Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 R2 64-bit, Windows Server 2016 R4-bit, Linux- For more information see https://developers.hp.com/hp-linux-imaging-and-printing, Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit, CBB available hard disk space, Internet connection, Microsoft ⁴⁰ Internet Explorer or Edge. Mac Apple ⁴⁰ macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet required Microsoft ⁴⁰ Windows Server 2008 R2 Server |
| Media handling Number of paper trays Media types Media types Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions | Standard: 1; Maximum: 1 Main Tray Paper (Cut sheets, plain, glossy film, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5UIS; B6UIS; Officio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x13 cm; 10x15cm; appanese Postcard, Double Japan Postcard Rotated; Japanese Envelope (Cnou #4, Envelope B5; Envelope C5; Envelope C6; Envelope D1, ADF: A4; LTR; L6L Standard Input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray 60 to 163 g/m² Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet required; Linux (For more information, see https://developers.bp.com/hp-linux-imaging-and-printing) Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Linux- For more information see http://developers.bp.com/hp-linux-imaging-and-printing, Windows: Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Mac Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey, 2 GB HD; Internet required No CD in box; Downloadable Software from http://www.hp.com, http://www.hpsmart.com/setup, in-OS app stores. Password-protected network embedded Web server; enable/disable Network ports; SNMPv1 community password change HP Smart, HPSM, Web JetAdmin, admin.hpsmart.com Minimum 418.0 x 398.2 x 313.2 mm; Maximum: 42.6.8 x 758.8 x 475.5 mm 10.5kg Temperature: 15 to 32.5°C Humidity: 30 to 70% RH Temperature: -20 to 60°C |
| Media handling Number of paper trays Media types Media types Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer weight Operating environment Storage conditions Acoustics | Standard: 1:Maximum: 1 Main Tray Paper (Cut sheets): Midin JrSoy 7 lifs min; Labels), envelopes, card stock, postcards Listoms Provided (Cut sheets): Midin JrSoy 7 lifs min; Lapels), envelopes, card stock, postcards Listoms Provided (Cut sheets): Midin JrSoy 7 lifs min; Lapels): envelope (Septiment): Ad, AS, AS-R, A6, BSUIS): B6(JIS): B6(JI |
| Media handling Number of paper trays Media types Media types Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics | Standard: 1. Maximum: 1 Main Tray Paper (Cut infeetic). Width 76 to 12 hill, glossy 71 hill, tables), envelopes, card stock, postcards Quator infeetic). Width 76 to 12 hill, glossy 71 hill, glossy 71 hill, glossy 71 hill, glossy 72 hill, |
| Media handling Number of paper trays Media types Media types Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power | Standard: 1. Maximum: 1 Main Tray Apper (Lut Sheets; plain, glossy film, babels), envelopes; card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, BSU(IS); BSU(IS); Dificio (216x340); 18K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x13 cm; 10x15 cm; 358 pasted brighted; Main Control (195 x 270 mm); 16K (19 |
| Media handling Number of paper trays Media types Media types Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer weight Operating environment Storage conditions Acoustics Power Certifications Sustainable impact specifications | Standard: 1.Maximum: 1 Main Tray Paper (Cut Hawker), plan, glossy film, labels), envelopes, card stock, postcards Custom (nethbol Width) 16 to 216 mm, Longth 17.2 to 356 mm Supranded (methbol Ast, A.6., A.6., A.6., A.6., A.6., B.6./Clib, 186(15), Olice (21 Enado); 187 (195 x 270 mm); 16X (197 x 273 mm); 1.9x13 cm; 10x15 cm; plan from the proper (building the proper of the pro |
| Media handling Number of paper trays Media types Media types Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Certifications Sustainable impact specifications Country of origin | Standard: 1. Maximum: 1 Main Tray Agenr (Lut Hestes, plain, glossy film, labele), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A44, A5, A5-R, A6, BSUIS); BBUIS); BBUIS); BBUIS); BBUIS); BBUIS (195 x 270 mm); 16K (197 x 273 mm); L9x13 cm; 10x1 5cm; Japanese Protected (books Apanese Foreigne Chair And Chair Ray, 250 selection of 216 envelope Chair And Chair Ray, 250 selection of 216 envelope Chair And Chair Ray, 250 selection of 216 envelope Chair And Chair Ray, 250 selection of 216 envelope Chair And Chair Ray, 250 selection of 216 envelope Chair Ray, 250 selection of 216 envelope Chair Ray, 250 selection of 216 envelope Chair Ray, 250 selection of 216 grant R |

Footnotes

- ¹ Requires the HP Smart app download. For details on local printing requirements see http://www.hp.com/go/mobileprinting. Certain features/software are available in English language only, and differ between desktop and mobile applications. Subscription may be required; subscription may not be available in all countries. See details at http://www.hpsmart.com. Internet access required and must be purchased separately. HP account required for full functionality. List of supported operating systems available in app stores. Fax capabilities are for sending a fax only. For more information, see http://www.hpsmart.com.
- ² Requires the HP Smart app download. For details on local printing requirements see www.hp.com/go/mobileprinting. Certain features/software are available in English language only, and differ between desktop and mobile applications. Subscription may be required; subscription may not be available in all countries. See details at www.hpsmart.com. Internet access required and must be purchased separately. HP account required for full functionality. List of supported operating systems available in app stores. Fax capabilities are for sending a fax only. For more information, see www.hpsmart.com
- HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.
- ⁴ Easy set up and manage Requires use of Smart Admin Dashboard for printer setup and onboarding of users
- ⁵ HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit hp.com/go/securitymanager.
- ⁶ Program availability varies. For details, see www.hp.com/recycle
- ⁷ Automatic delivery and consolidated bill: Printers require direct connection to the Internet for program participation. Internet access sold separately.
- ⁸ Recycling: Program availability varies. Original HP cartridge return and recycling is currently available in more than 60 countries, territories and regions in Asia, Africa, Europe, and North and South America through the HP Planet Partners program. For details, see hp.com/recycle.
- 9 Never run out: Based on plan usage, Internet connection to eligible HP printer, valid credit/debit card, email address, and delivery service in your geographic area.
- 10 Change or cancel: Change or cancel your plan at any time online. If you decide to cancel your HP Instant Ink you can go back to using HP original Standard or XL cartridges. Plan upgrades are effective immediately and the charges will be applied retrospectively or in the next billing cycle, depending on user choice. Plan downgrades and cancellations are effective after the last day of the current billing period. For full details go to holistating to compleme.

Technical specifications disclaimers

- ¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ² Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ³ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- ⁴ Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory
- ⁵ For yield information on the cartridge included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.















