



CorePro LEDspot MV

Corepro LEDspot 3.1-25W GU10 827 36D

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with a GU10 and are designed as a retrofit replacement for halogen or incandescent spots. CorePro LEDspots deliver significant energy savings and minimize maintenance cost.

Product data

General Information		Operating and Electrical	
Cap-Base	GU10 [GU10]	Input Frequency	50 to 60 Hz
Nominal Lifetime (Nom)	15000 h	Power (Rated) (Nom)	3.1 W
Switching Cycle	50000X	Lamp Current (Nom)	29 mA
Technical Type	3.1-25W	Wattage Equivalent	25 W
		Starting Time (Nom)	0.5 s
		Warm Up Time to 60% Light (Nom)	0.5 s
		Power Factor (Nom)	0.5
		Voltage (Nom)	220-240 V
Light Technical		Temperature	
Color Code	827 [CCT of 2700K]	T-Case Maximum (Nom)	85 °C
Beam Angle (Nom)	36 °		
Luminous Flux (Nom)	215 lm	Controls and Dimming	
Luminous Flux (Rated) (Nom)	215 lm	Dimmable	No
Luminous Intensity (Nom)	470 cd		
Color Designation	Warm White (WW)	Approval and Application	
Rated Beam Angle	36 °	Suitable For Accent Lighting	Yes
Correlated Color Temperature (Nom)	2700 K	Energy Efficiency Label (EEL)	A+
Luminous Efficacy (Rated) (Nom)	69.35 lm/W	Energy Consumption kWh/1000 h	4 kWh
Color Consistency	<6		
Color Rendering Index (Nom)	80		
LLMF At End Of Nominal Lifetime (Nom)	70 %		
Luminous Flux in 90° Cone (Rated)	215 lm		


CorePro LEDspot MV

Product Data

Full product code	871869675209800
Order product name	Corepro LEDspot 3.1-25W GU10 827 36D
EAN/UPC - Product	8718696752098
Order code	929001217532
Numerator - Quantity Per Pack	1

Numerator - Packs per outer box	10
Material Nr. (12NC)	929001217532
Net Weight (Piece)	0.038 kg




Dimensional drawing



GU10 230V 4W-35W 260lm 36D 2700K GU10 ND

Product	D	C
Corepro LEDspot CLA 3.1-25W GU10 827 36D	50 mm	53 mm

Photometric data



CorePro LEDspot MV

