Powerful and nimble high-pressure washer ideal for basic cleaning tasks

Simple cleaning tasks will be done in a flash with our Core 125, which features a 125 bar maximum pressure and long-life metal pump for effective and efficient removal of dirt.

The featured trolley and ultraflex hose allow for cleaning of those hard-toreach places, while the hose pocket means it is easy to transport and store. Basic cleaning will be a breeze with the Click&Clean connectivity, which makes it quick and simple to attach different accessories to the washer for more specific use.

- · 125 bar max pressure
- · Long-life metal pump
- Cleaning speed index: 35
- Automatic start/stop system
- · Gentle & Rough nozzle system with user guidance
- Trolley for high mobility
- · Click&Clean connectivity
- 5m ultraflex hose with hose pocket



Picture shown may not represent model quoted

Standard equipment

	Included accessories	Ref. no.	Min. required	CORE 125-5 EU	CORE 125-5 PC EU	CORE 125-5 PCA EU
Hose and Co	nnection					
7	G1 GUN NILFISK	128500908	0	•	•	•
Nozzle - High	Pressure Washer					
	C&C GENTLE PR NOZZLE (TORNADO PR)	128500303	0	•	•	•
4	POWER SPEED NOZZLE	128501153	0	•	•	•
Brush			,			
	Auto brush	6411131	0			
	FIXED BRUSH SHORT NILFISK SP	128500685	0			•
Accessory						



Powerful and nimble high-pressure washer ideal for basic cleaning tasks

	Included accessories	Ref. no.	Min. required	CORE 125-5 EU	CORE 125-5 PC EU	CORE 125-5 PCA EU
١	Compact patio	128500700	0		•	•
	FOAMSPRAYER WITH BOTTLE	128500077	0	•	•	•
	G2 C&C SPRAY LANCE	128500073	0	•	•	•
	NILFISK C&C SUPER FOAM SPRAYER	128500938	0			

Standard equipment

 Standard equipment 									
	Included accessories	Ref. no.	Min. required	CORE 125-5 HOME EU	CORE 125-5 CAR WASH EU	CORE 125-5 UK			
Hose and Co	Hose and Connection								
-	G1 GUN NILFISK	128500908	0	•	•	•			
Nozzle - High	Pressure Washer								
	C&C GENTLE PR NOZZLE (TORNADO PR)	128500303	0	•	•	•			
	POWER SPEED NOZZLE	128501153	0	•	•	•			
Brush									
	Auto brush	6411131	0		•				
	FIXED BRUSH SHORT NILFISK SP	128500685	0	•	•				
Accessory									



Powerful and nimble high-pressure washer ideal for basic cleaning tasks

Included accessories		Ref. no.	Min. required	CORE 125-5 HOME EU	CORE 125-5 CAR WASH EU	CORE 125-5 UK
١	Compact patio	128500700	0	•		
	FOAMSPRAYER WITH BOTTLE	128500077	0	•	•	•
	G2 C&C SPRAY LANCE	128500073	0	•	•	•
	NILFISK C&C SUPER FOAM SPRAYER	128500938	0		•	

Standard equipment

	Included accessories	Ref. no.	Min. required	CORE 125-5 PCA UK	CORE 125-5 HOME UK
Hose and Co	nnection				
-	G1 GUN NILFISK	128500908	0	•	•
Nozzle - High	Pressure Washer				
	C&C GENTLE PR NOZZLE (TORNADO PR)	128500303	0	•	•
	POWER SPEED NOZZLE	128501153	0	•	•
Brush					
	Auto brush	6411131	0		
	FIXED BRUSH SHORT NILFISK SP	128500685	0	•	•
Accessory					



	Included accessories	Ref. no.	Min. required	CORE 125-5 PCA UK	CORE 125-5 HOME UK
١	Compact patio	128500700	0	•	•
	FOAMSPRAYER WITH BOTTLE	128500077	0	•	•
	G2 C&C SPRAY LANCE	128500073	0	•	•
	NILFISK C&C SUPER FOAM SPRAYER	128500938	0		
Model		CORE 125-5 EU	CORE 125	5-5 PC EU CO	RE 125-5 PCA EU

Ref. no.	128471289	128471250	128471251
PRODUCT FEATURES			
Trolley	•	•	•
Hose reel			
Aluminium pump	•	•	•
Lance and spray gun storage	•	•	•
Storage of accessories	•	•	•
Cable storage	•	•	•
Click&Clean (C&C) nozzle concept	•	•	•
Gun with quick connection and swivel	•	•	•
Automatic start/stop	•	•	•
Soft grip			
Hose and cable holder	•	•	•
Telescopic handle			
Wireless PowerGrip			
Pressure regulation in nozzle	•	•	•



Model	CORE 125-5 HOME EU	CORE 125-5 CAR WASH EU	CORE 125-5 UK
Ref. no.	128471252	128471253	128471283
PRODUCT FEATURES			
Trolley	•	•	•
Hose reel			
Aluminium pump	•	•	•
Lance and spray gun storage	•	•	•
Storage of accessories	•	•	•
Cable storage	•	•	•
Click&Clean (C&C) nozzle concept	•	•	•
Gun with quick connection and swivel	•	•	•
Automatic start/stop	•	•	•
Soft grip			
Hose and cable holder	•	•	•
Telescopic handle			
Wireless PowerGrip			
Pressure regulation in nozzle	•	•	•
Model		CORE 125-5 PCA UK	CORE 125-5 HOME UK
Ref. no.		128471284	128471285
PRODUCT FEATURES			
Trolley		•	•
Hose reel			
Aluminium pump		•	•
Lance and spray gun storage		•	•
Storage of accessories		•	•
Cable storage		•	•
Click&Clean (C&C) nozzle concept		•	•
Gun with quick connection and swivel		•	•
Automatic start/stop		•	•
Soft grip			
Hose and cable holder		•	•
Telescopic handle			
Wireless PowerGrip			
Pressure regulation in nozzle		•	•



Pump pressure (bar/MPa) Max 125 / max 12.5 Max 3312 438 / 312 438	Technical specifications	CORE 125-5 EU	CORE 125-5 PC EU	CORE 125-5 PCA EU
Voltage/phase/frequency/current (V/~/Hz/A) 220_240/1-1/50-00/5.8 220_240/1-1/50-00/5.8 220_240/1-1/50-00/5.8 220_240/1-1/50-00/5.8 250-00/5.8 50-00/5.8 50-00/5.8 50-00/5.8 50-00/5.8 50-00/5.8 50-00/5.8 30-00/5.8 <	Pump pressure (bar/MPa)	Max 125 / max 12.5	Max 125 / max 12.5	Max 125 / max 12.5
Voltage/phase/rrequency/current (Vi~/ritz/A) 50-60 / 5.8 50-60 / 5.8 50-60 / 5.8 Water flow Cmax/Qiec (I/h) 438 / 312 438 / 312 438 / 312 Cable length (m) 5 5 5 Max. inlet temperature (°C) 40 40 40 Length x width x height (cm) 71,7 x 29 x 30 71,7 x 29 x 30 71,7 x 29 x 30 Weight (kg) 6,4 6,4 6,4 Technical specifications CORE 125-5 HOM 6xx 125 / max 125 Max 125 / max 125 Pump pressure (bar/MPa) Max 125 / max 125 Max 125 / max 125 Max 125 / max 125 Rated power (kW) 1,4	Rated power (kW)	1,4	1,4	1,4
Cable length (m) 5 5 5 Hose length (m) 5 5 5 Max. inlet temperature (°C) 40 40 40 Length x width x height (cm) 71,7 x 29 x 30 71	Voltage/phase/frequency/current (V/~/Hz/A)			
Hose length (m) 5 5 5 Max. inlet temperature (°C) 40 40 40 Length x width x height (cm) 71,7 x 29 x 30 71,7 x 29 x 30 </td <td>Water flow Qmax/Qiec (I/h)</td> <td>438 / 312</td> <td>438 / 312</td> <td>438 / 312</td>	Water flow Qmax/Qiec (I/h)	438 / 312	438 / 312	438 / 312
Max. inlet temperature (°C) 40 40 40 Length x width x height (cm) 71.7 x 29 x 30 71.7 x 29 x 30 71.7 x 29 x 30 Weight (kg) 6.4 6.4 6.4 Technical specifications CORE 125.5 HOME EU CORE 125.5 CAR WASH EU CORE 125.5 UK Pump pressure (barr/MPa) Max 125 / max 12.5 Max 125 / max 12.5 Max 125 / max 12.5 Rated power (kW) 1,4 1,4 1,4 Voltage/phase/frequency/current (V/~/Hz/A) 220 - 240 / 1 - 1	Cable length (m)	5	5	5
Length x width x height (cm) 71,7 x 29 x 30	Hose length (m)	5	5	5
Weight (kg) 6,4 6,4 6,4 Technical specifications CORE 125-5 HOME EU CORE 125-5 CAR WASH EU CORE 125-5 UK Pump pressure (bar/MPa) Max 125 / max 12.5 Max 125 / m	Max. inlet temperature (°C)	40	40	40
Technical specifications CORE 125-5 HOME EU CORE 125-5 CAR WASH EU CORE 125-5 UK Pump pressure (bar/MPa) Max 125 / max 12.5 Max 125 / max	Length x width x height (cm)	71,7 x 29 x 30	71,7 x 29 x 30	71,7 x 29 x 30
Fechnical specifications EU WASH EU COKE 125-3 UK Pump pressure (bar/MPa) Max 125 / max 12.5 Max 126 / max 12.5 220 - 240 / 1~/ \$0.60 / 5.8 50.60 / 5.8	Weight (kg)	6,4	6,4	6,4
Rated power (kW) 1,4 1,4 1,4 Voltage/phase/frequency/current (V/~/Hz/A) 220 - 240 / 1 ~/ 50 - 60 / 5.8 220 - 240 / 1 ~/ 50 - 60 / 5.8 220 - 240 / 1 ~/ 50 - 60 / 5.8 Water flow Qmax/Qiec (I/h) 438 / 312	Technical specifications			CORE 125-5 UK
Voltage/phase/frequency/current (V/~/Hz/A) 220 - 240 / 1 - / 50 - 60 / 5.8 / 50 - 60 /	Pump pressure (bar/MPa)	Max 125 / max 12.5	Max 125 / max 12.5	Max 125 / max 12.5
Voltage/phase/requency/current (V/~/Hz/A) 50-60 / 5.8 50-60 / 5.8 50-60 / 5.8 Water flow Qmax/Qiec (I/h) 438 / 312 438 / 312 438 / 312 Cable length (m) 5 5 5 Hose length (m) 5 5 5 Max. inlet temperature (°C) 40 40 40 Length x width x height (cm) 71,7 x 29 x 30 71,7 x 29 x 30 71,7 x 29 x 30 Weight (kg) 6,4 6,4 6,4 Technical specifications CORE 125-5 PCA CORE 125-5 HOME UK Pump pressure (bar/MPa) Max 125 / max 12.5 Max 125 / max 12.5 Rated power (kW) 1,4 1,4 Voltage/phase/frequency/current (V/~/Hz/A) 220 - 240 / 1-/ 50-60 / 5.8 220 - 240 / 1-/ 50-60 / 5.8 Water flow Qmax/Qiec (I/h) 438 / 312 438 / 312 Cable length (m) 5 5 Hose length (m) 5 5 <t< td=""><td>Rated power (kW)</td><td>1,4</td><td>1,4</td><td>1,4</td></t<>	Rated power (kW)	1,4	1,4	1,4
Cable length (m) 5 5 5 Hose length (m) 5 5 5 Max. inlet temperature (°C) 40 40 40 Length x width x height (cm) 71,7 x 29 x 30 71	Voltage/phase/frequency/current (V/~/Hz/A)			
Hose length (m) 5 5 5 Max. inlet temperature (°C) 40 40 40 Length x width x height (cm) 71,7 x 29 x 30 71,7 x 29 x 30 71,7 x 29 x 30 Weight (kg) 6,4 6,4 6,4 Technical specifications CORE 125-5 PCA UK CORE 125-5 HOME UK Pump pressure (bar/MPa) Max 125 / max 12.5 Max 125 / max 12.5 Rated power (kW) 1,4 1,4 1,4 Voltage/phase/frequency/current (V/~/Hz/A) 220 - 240 / 1~/ 50-60 / 5.8 220 - 240 / 1~/ 50-60 / 5.8 Water flow Qmax/Qiec (I/h) 438 / 312 438 / 312 Cable length (m) 5 5 Hose length (m) 5 5 Max. inlet temperature (°C) 40 40 Length x width x height (cm) 71,7 x 29 x 30 71,7 x 29 x 30	Water flow Qmax/Qiec (I/h)	438 / 312	438 / 312	438 / 312
Max. inlet temperature (°C) 40 40 40 Length x width x height (cm) 71,7 x 29 x 30 71,7 x 29 x 30 71,7 x 29 x 30 Weight (kg) 6,4 6,4 6,4 Technical specifications CORE 125-5 PCA UK CORE 125-5 HOME UK Pump pressure (bar/MPa) Max 125 / max 12.5 Max 125 / max 12.5 Rated power (kW) 1,4 1,4 1,4 Voltage/phase/frequency/current (V/~/Hz/A) 220 - 240 / 1 - / 50-60 / 5.8 220 - 240 / 1 - / 50-60 / 5.8 Water flow Qmax/Qiec (I/h) 438 / 312 438 / 312 Cable length (m) 5 5 Hose length (m) 5 5 Max. inlet temperature (°C) 40 40 Length x width x height (cm) 71,7 x 29 x 30 71,7 x 29 x 30	Cable length (m)	5	5	5
Length x width x height (cm) 71,7 x 29 x 30	Hose length (m)	5	5	5
Weight (kg) 6,4 6,4 6,4 Technical specifications CORE 125-5 PCA UK CORE 125-5 HOME UK Pump pressure (bar/MPa) Max 125 / max 12.5 Max 125 / max 12.5 Rated power (kW) 1,4 1,4 Voltage/phase/frequency/current (V/~/Hz/A) 220 - 240 / 1~/ 50-60 / 5.8 220 - 240 / 1~/ 50-60 / 5.8 Water flow Qmax/Qiec (l/h) 438 / 312 438 / 312 Cable length (m) 5 5 Hose length (m) 5 5 Max. inlet temperature (°C) 40 40 Length x width x height (cm) 71,7 x 29 x 30 71,7 x 29 x 30	Max. inlet temperature (°C)	40	40	40
Technical specifications CORE 125-5 PCA UK CORE 125-5 HOME UK Pump pressure (bar/MPa) Max 125 / max 12.5 Max 125 / max 12.5 Rated power (kW) 1,4 1,4 Voltage/phase/frequency/current (V/~/Hz/A) 220 - 240 / 1~/ 50-60 / 5.8 220 - 240 / 1~/ 50-60 / 5.8 Water flow Qmax/Qiec (I/h) 438 / 312 438 / 312 Cable length (m) 5 5 Hose length (m) 5 5 Max. inlet temperature (°C) 40 40 Length x width x height (cm) 71,7 x 29 x 30 71,7 x 29 x 30	Length x width x height (cm)	71,7 x 29 x 30	71,7 x 29 x 30	71,7 x 29 x 30
Pump pressure (bar/MPa) Max 125 / max 12.5 Max 125 / max 12.5 Rated power (kW) 1,4 1,4 Voltage/phase/frequency/current (V/~/Hz/A) 220 - 240 / 1~/ 50-60 / 5.8 220 - 240 / 1~/ 50-60 / 5.8 Water flow Qmax/Qiec (I/h) 438 / 312 438 / 312 Cable length (m) 5 5 Hose length (m) 5 5 Max. inlet temperature (°C) 40 40 Length x width x height (cm) 71,7 x 29 x 30 71,7 x 29 x 30	Weight (kg)	6,4	6,4	6,4
Rated power (kW) 1,4 1,4 Voltage/phase/frequency/current (V/~/Hz/A) 220 - 240 / 1~/ 50-60 / 5.8 220 - 240 / 1~/ 50-60 / 5.8 Water flow Qmax/Qiec (I/h) 438 / 312 438 / 312 Cable length (m) 5 5 Hose length (m) 5 5 Max. inlet temperature (°C) 40 40 Length x width x height (cm) 71,7 x 29 x 30 71,7 x 29 x 30	Technical specifications			
Voltage/phase/frequency/current (V/~/Hz/A) 220 - 240 / 1~/ 50-60 / 5.8 220 - 240 / 1~/ 50-60 / 5.8 Water flow Qmax/Qiec (I/h) 438 / 312 438 / 312 Cable length (m) 5 5 Hose length (m) 5 5 Max. inlet temperature (°C) 40 40 Length x width x height (cm) 71,7 x 29 x 30 71,7 x 29 x 30	Pump pressure (bar/MPa)		Max 125 / max 12.5	Max 125 / max 12.5
Water flow Qmax/Qiec (I/h) 50-60 / 5.8 50-60 / 5.8 Water flow Qmax/Qiec (I/h) 438 / 312 438 / 312 Cable length (m) 5 5 Hose length (m) 5 5 Max. inlet temperature (°C) 40 40 Length x width x height (cm) 71,7 x 29 x 30 71,7 x 29 x 30	Rated power (kW)		1,4	1,4
Cable length (m) 5 5 Hose length (m) 5 5 Max. inlet temperature (°C) 40 40 Length x width x height (cm) 71,7 x 29 x 30 71,7 x 29 x 30	Voltage/phase/frequency/current (V/~/Hz/A)			220 - 240 / 1~/ 50-60 / 5.8
Hose length (m) 5 5 Max. inlet temperature (°C) 40 40 Length x width x height (cm) 71,7 x 29 x 30 71,7 x 29 x 30	Water flow Qmax/Qiec (I/h)		438 / 312	438 / 312
Max. inlet temperature (°C) 40 40 Length x width x height (cm) 71,7 x 29 x 30 71,7 x 29 x 30	Cable length (m)		5	5
Length x width x height (cm) 71,7 x 29 x 30 71,7 x 29 x 30	Hose length (m)		5	5
	Max. inlet temperature (°C)		40	40
Weight (kg) 6,4 6,4	Length x width x height (cm)		71,7 x 29 x 30	71,7 x 29 x 30
	Weight (kg)		6,4	6,4



Powerful and nimble high-pressure washer ideal for basic cleaning tasks

 \bullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	Accessories	Ref. no.	Min. required	CORE 125-5 EU	CORE 125-5 PC EU	CORE 125-5 PCA EU
Hose and Co	nnection					
9	EXT. HOSE 7 M - QUICK COUPLING	106411346	0	0	0	0
	Extension Hose	6410760	0	0	0	0
0	EXTENSION HOSE STEEL ARMED 7 M	6411048	0	0	0	0
7	G1 GUN NILFISK	128500908	0	•	•	•
	NILFISK BA VALVE COMP. GARDENA	106411177	0	0	0	0
Nozzle - High	Pressure Washer					
	C&C GENTLE PR NOZZLE (TORNADO PR)	128500303	0	•	•	•
	POWER SPEED NOZZLE	128501153	0	•	•	•
4	Under Chassis Nozzle	6411135	0	0	0	0
	Wide Angled Auto & Cycle Nozzle	6411136	0	0	0	0
Brush						
	Auto brush	6411131	0	0	0	0
	CAR BRUSH HEAD	128500463	0	0	0	0



	Accessories	Ref. no.	Min. required	CORE 125-5 EU	CORE 125-5 PC EU	CORE 125-5 PCA EU
	FIXED BRUSH SHORT NILFISK SP	128500685	0	0	0	•
	GARDEN BRUSH HEAD	128470457	0	0	0	0
	RIM BRUSH HEAD	128470458	0	0	0	0
-	ROTARY BRUSH	6410762	0	0	0	0
	ROTARY BRUSH	126411395	0	0	0	0
Accessory Kit						
	MULTI BRUSH KIT	128470459	0	0	0	0
°°000	O-RING KIT CONSUMER HPW	128500292	0	0	0	0
Accessory						
	CLEANING TOOL BLACK	6520844	0	0	0	0
٠	Compact patio	128500700	0	0	•	•
	DRAIN AND TUBE 8M	128500461	0	0	0	0
O	DRAIN AND TUBE CLEANER 15M	6410766	0	0	0	0



	Accessories	Ref. no.	Min. required	CORE 125-5 EU	CORE 125-5 PC EU	CORE 125-5 PCA EU
	FOAMSPRAYER WITH BOTTLE	128500077	0	•	•	•
	G2 C&C SPRAY LANCE	128500073	0	•	•	•
-	INLET SUCTION HOSE 3M	128500673	0	0	0	0
	MULTI ANGLE ADAPTER	6411138	0	0	0	0
=	MULTI BRUSH	128470456	0	0	0	0
	NILFISK C&C SUPER FOAM SPRAYER	128500938	0	0	0	0
	NILFISK POWER PATIO	128500955	0	0	0	0
	NILFISK TOWEL	128501316	0	0	0	0
	NILFISK WASHING GLOVE	128501317	0	0	0	0
	NILFISK WATER FILTER	128500674	0	0	0	0
•	Patio Cleaner	128500702	0	0	0	0
4	ROOF CLEANER	128470040	0	0	0	0



Accessories		Ref. no.	Min. required	CORE 125-5 EU	CORE 125-5 PC EU	CORE 125-5 PCA EU
	Under Chassis Spray Lance	6410763	0	0	0	0
	VSB SET - GREEN	6410891	0	0	0	0
6	Water Emptying Kit	126411387	0	0	0	0

Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Standard equipment, [○] Supplementary accessories, [□] Mountable equipment							
	Accessories	Ref. no.	Min. required	CORE 125-5 HOME EU	CORE 125-5 CAR WASH EU	CORE 125-5 UK	
Hose and Co	nnection						
0	EXT. HOSE 7 M - QUICK COUPLING	106411346	0	0	0	0	
	Extension Hose	6410760	0	0	0	0	
0	EXTENSION HOSE STEEL ARMED 7 M	6411048	0	0	0	0	
-	G1 GUN NILFISK	128500908	0	•	•	•	
	NILFISK BA VALVE COMP. GARDENA	106411177	0	0	0	0	
Nozzle - High	Pressure Washer						
	C&C GENTLE PR NOZZLE (TORNADO PR)	128500303	0	•	•	•	
	POWER SPEED NOZZLE	128501153	0	•	•	•	



	Accessories	Ref. no.	Min. required	CORE 125-5 HOME EU	CORE 125-5 CAR WASH EU	CORE 125-5 UK
4	Under Chassis Nozzle	6411135	0	0	0	0
	Wide Angled Auto & Cycle Nozzle	6411136	0	0	0	0
Brush						
	Auto brush	6411131	0	0	•	0
	CAR BRUSH HEAD	128500463	0	0	0	0
	FIXED BRUSH SHORT NILFISK SP	128500685	0	•	•	0
	GARDEN BRUSH HEAD	128470457	0	0	0	0
	RIM BRUSH HEAD	128470458	0	0	0	0
-	ROTARY BRUSH	6410762	0	0	0	0
	ROTARY BRUSH	126411395	0	0	0	0
Accessory Kit						
	MULTI BRUSH KIT	128470459	0	0	0	0
°0000	O-RING KIT CONSUMER HPW	128500292	0	0	0	0
Accessory						



	Accessories	Ref. no.	Min. required	CORE 125-5 HOME EU	CORE 125-5 CAR WASH EU	CORE 125-5 UK
	CLEANING TOOL BLACK	6520844	0	0	0	0
	Compact patio	128500700	0	•	0	0
	DRAIN AND TUBE 8M	128500461	0	0	0	0
	DRAIN AND TUBE CLEANER 15M	6410766	0	0	0	0
	FOAMSPRAYER WITH BOTTLE	128500077	0	•	•	•
	G2 C&C SPRAY LANCE	128500073	0	•	•	•
-	INLET SUCTION HOSE 3M	128500673	0	0	0	0
	MULTI ANGLE ADAPTER	6411138	0	0	0	0
	MULTI BRUSH	128470456	0	0	0	0
	NILFISK C&C SUPER FOAM SPRAYER	128500938	0	0	•	0
	NILFISK POWER PATIO	128500955	0	0	0	0
	NILFISK TOWEL	128501316	0	0	0	0



	Accessories	Ref. no.	Min. required	CORE 125-5 HOME EU	CORE 125-5 CAR WASH EU	CORE 125-5 UK
	NILFISK WASHING GLOVE	128501317	0	0	0	0
	NILFISK WATER FILTER	128500674	0	0	0	0
•	Patio Cleaner	128500702	0	0	0	0
4.	ROOF CLEANER	128470040	0	0	0	0
	Under Chassis Spray Lance	6410763	0	0	0	0
	VSB SET - GREEN	6410891	0	0	0	0
6	Water Emptying Kit	126411387	0	0	0	0

ullet Standard equipment, ullet Supplementary accessories, ullet Mountable equipment

	Accessories	Ref. no.	Min. required	CORE 125-5 PCA UK	CORE 125-5 HOME UK
Hose and Co	nnection				
	EXT. HOSE 7 M - QUICK COUPLING	106411346	0	0	0
	Extension Hose	6410760	0	0	0
0	EXTENSION HOSE STEEL ARMED 7 M	6411048	0	0	0



	Accessories	Ref. no.	Min. required	CORE 125-5 PCA UK	CORE 125-5 HOME UK
-	G1 GUN NILFISK	128500908	0	•	•
	NILFISK BA VALVE COMP. GARDENA	106411177	0	0	0
Nozzle - High	Pressure Washer				
	C&C GENTLE PR NOZZLE (TORNADO PR)	128500303	0	•	•
	POWER SPEED NOZZLE	128501153	0	•	•
3	Under Chassis Nozzle	6411135	0	0	0
	Wide Angled Auto & Cycle Nozzle	6411136	0	0	0
Brush					
	Auto brush	6411131	0	0	0
	CAR BRUSH HEAD	128500463	0	0	0
	FIXED BRUSH SHORT NILFISK SP	128500685	0	•	•
	GARDEN BRUSH HEAD	128470457	0	0	0
	RIM BRUSH HEAD	128470458	0	0	0



	Accessories	Ref. no.	Min. required	CORE 125-5 PCA UK	CORE 125-5 HOME UK		
-	ROTARY BRUSH	6410762	0	0	0		
	ROTARY BRUSH	126411395	0	0	0		
Accessory Kit	Accessory Kit						
	MULTI BRUSH KIT	128470459	0	0	0		
°°000	O-RING KIT CONSUMER HPW	128500292	0	0	0		
Accessory							
	CLEANING TOOL BLACK	6520844	0	0	0		
٠	Compact patio	128500700	0	•	•		
	DRAIN AND TUBE 8M	128500461	0	0	0		
0	DRAIN AND TUBE CLEANER 15M	6410766	0	0	0		
Ī	FOAMSPRAYER WITH BOTTLE	128500077	0	•	•		
-	G2 C&C SPRAY LANCE	128500073	0	•	•		
=	INLET SUCTION HOSE 3M	128500673	0	0	0		



	Accessories	Ref. no.	Min. required	CORE 125-5 PCA UK	CORE 125-5 HOME UK
	MULTI ANGLE ADAPTER	6411138	0	0	0
=	MULTI BRUSH	128470456	0	0	0
	NILFISK C&C SUPER FOAM SPRAYER	128500938	0	0	0
	NILFISK POWER PATIO	128500955	0	0	0
	NILFISK TOWEL	128501316	0	0	0
	NILFISK WASHING GLOVE	128501317	0	0	0
	NILFISK WATER FILTER	128500674	0	0	0
•	Patio Cleaner	128500702	0	0	0
4	ROOF CLEANER	128470040	0	0	0
	Under Chassis Spray Lance	6410763	0	0	0
	VSB SET - GREEN	6410891	0	0	0
6	Water Emptying Kit	126411387	0	0	0

